

Plytech Radiata Pine – Teco

Plytech Radiata Pine – Teco is structural plywood manufactured and certified in accordance with AS/NZS 2269: 2012. Plytech Radiata Teco Ply is a general purpose construction CD-grade plywood.



Applications:

Any construction or semi-decorative applications meeting the NZ Building Code AS/NZS 2269:2012.

Features:

Pinus Radiata Teco Ply is pale-yellow to pinkish-brown in colour with a figured grain and uniform texture.

Technical Specifications:

Wood Raw Material – Pinus Radiata
Standard – AS/NZS 2269: 2012
Stress Grade – F8
Density – average 500kg/m³
Class – Softwood, non-durable
Glue Bond – A Bond Exterior
Glue Formaldehyde Emissions Super E0

Environment:

Environment Protection Standard: ISO 14001:2004
Quality Management Standard: EN 13986:2004
Glue Formaldehyde Emissions – CARB compliant
PEFC Certified.

Dimensions:

2400 x 1200mm (Length x Width)
Thickness
9mm/3ply, 12mm/5ply, 15mm/5ply, 18mm/7ply, 21mm/9ply, 25mm/11ply

Preservative Treatment:

H3.2 CCA – Copper Chrome Arsenate treatment in accordance with AS/NZS 1604.3. Green in appearance.

Handling and Storage:

Plywood is a natural product that can be affected by changes in ambient weather conditions, causing previously flat sheets to bow or twist. All precautions are taken to minimise this effect, however once the plywood has left our warehouse we cannot guarantee sheets to remain flat. This is particularly important where free standing kitchen/ cabinet doors are concerned.

For further information contact us on **0800 900 905**

While every endeavour has been made to ensure that all information contained in this product sheet is accurate, it is intended to be used as a guide line only. We reserve the right to amend specifications without notice. Product Warranty is as per our Standard Terms and Conditions of Trade. Please contact us for further detailed information.

plytech
CREATIVE STRENGTH